

OREGON SPROCKET OVERVIEW

The power from your chainsaw drives the sprocket, and the sprocket drives your cutting chain at high speed around your guide bar. Your sprocket, chain, and guide bar are the three components of your saw's "cutting team." It's the cutting team that does the actual work of cutting, and your sprocket is an essential member of the team. Oregon® sprockets can be installed on chainsaws having either inboard, or outboard clutch assemblies. Follow the instructions in the operator's manual provided by your chainsaw manufacturer for correct sprocket installation

SYSTEMS



Oregon® rim sprocket systems have two components: a clutch cup with splined hub, and a free-floating rim. It is only the rim that makes contact with your saw chain as it is driven around your guide bar. Rim-type sprocket systems are favored by those who want the ultimate in performance and are available for many types of chainsaws.

These two-piece sprocket systems are the ultimate way to drive the chain on most types of saws and can be used by all types of chainsaw operators.

- The complete sprocket system includes a clutch cup with spline and a replaceable rim sprocket
- The rim floats freely on the spline, maximizing chain-bar alignment, and the rim is replaceable which extends the life and increases the value of the sprocket system

RIMS

The free-floating rim is the component of a rim-type sprocket system which is replaced more frequently. Oregon® offers replacement rims in a variety of sizes and tooth-counts for professional and commercial chainsaw users. Popular Oregon® rims for .325", 3/8" and .404"-pitch chains now come with new wear-depth indicators. When sprocket wear reaches the depth of the indicator, it's easy to see that it's time to replace the sprocket.

Power Mate® Rims are preferred by professional chainsaw users

- "Floats" on the splined hub, allowing chain and sprocket to self-align with the bar groove
- Three of the most popular sizes are available in a radially ported design, which uses centrifugal force to throw off sawdust and debris.
- Popular rims are available with wear-depth indicators, which make it easy to tell when the sprocket should be replaced.

RADIAL PORT



WEAR-DEPTH INDICATORS



SPURS

One-piece spur sprockets are durable, economical, simple to use, and very popular. Unlike rim sprocket systems, the chain-driving teeth and the clutch cup are combined into a single unit on spur sprockets. Oregon® spur sprockets are available for all types of chainsaws

CONSUMER SPUR

For occasional users of lightweight, high-speed consumer chainsaws.



- Designed specifically for use with low-kickback 3/8" pitch chains (90SG, 91P, 91VG, 91VS)
- Excellent performance
- Top value

PRO SPUR® SPROCKETS

For professional users who prefer a spur-type sprocket



- Rugged and dependable
- Excellent wear-resistance
- Available to fit professional-type .325", 3/8" and .404" pitch chains



ADDITIONAL COMPONENTS

Specialized parts used in conjunction with Oregon® sprockets are available separately.

- Dust covers
- Pump driver
- Bearings
- Neoprene seal
- Washers



SPUR SIZES



Consumer Spur Mini 3/8"
6 Tooth (90" and 91" Chains)



Consumer Spur .325"
7 Tooth

POWER MATE RIMS

THE REPLACEABLE COMPONENT OF A RIM SPROCKET SYSTEM

Use these actual-size drawings to identify your rim sprocket or spline.

A complete listing of Oregon® sprocket part numbers is found in the charts titled “Sprocket Application” on pages 434 - 437



**SMALL 7
SPLINE (SM7)**



.325" Small 7- 7 TOOTH
• Radially Ported
• Wear-Depth Indicators



3/8" Small 7 - 7 Tooth
• Wear-Depth Indicators



.325" Small 7 - 7 Tooth
• Wear-Depth Indicators



**STANDARD 7
SPLINE (SD7)**



.404" Standard 7- 8 Tooth



.325" Standard 7 - 9 Tooth




.404" Standard 7 - 7 Tooth
• Radially Ported
• Wear-Depth Indicators



3/8" Standard 7 - 8 Tooth
• Wear-Depth Indicators



3/8" Standard 7 - 7 Tooth
• Radially Ported
• Wear-Depth Indicators



**STANDARD 6
SPLINE (SD6)**



.404" Standard 6 - 8 Tooth

RIM SPLINE TYPE	PART NO	PITCH	TEETH
Standard 7 Spline	68210	3/8"	7
	22270	.404"	7
	22273	3/8"	8
	13624	.325"	9
	13313	.404"	8
Small 7 Spline	11892	.325"	7
	11891	.325"	8
	18720	3/8"	7
Standard 6 Spline	14031	.404"	8



Pro Spur .325"
8 Tooth



Pro Spur 3/8"
7 Tooth



Pro Spur 3/8"
8 Tooth



Pro Spur .404
7 Tooth

SPROCKET APPLICATIONS BY SAW MODEL

CHAIN SAW MAKE & MODEL	PITCH	TEETH	SPLINE	RIMS	SYSTEM	SPUR	BEARINGS	CRANKSHAFT DIAMETER
								

ALPINA

400, 450, 500							37507	.3975
---------------	--	--	--	--	--	--	-------	-------

CUB CADET

CS5018, CS5220	.325"	7	SM 7	11892	111178X*		31153	.4724
----------------	-------	---	------	-------	----------	--	-------	-------

DOLMAR

PS34	3/8" LP (91)	6				112130	22152	.3150
PS340, PS341, PS400	3/8" LP (91)	6				112135	21940	.3937
109, 110, 111, 115 (old models)	.325"	8	SM 7	11891	32162*		31153	.4724
	3/8"	7	SM 7	18720	38824X*		31153	.4724
109, 110, 111, 115i (new models, with pump drive)	3/8"	7	SM 7	18720			31153	.4724
	.325"	7	SM 7	11892	111451X*		31153	.4724
112, 113, 114, 116, 116 SI, 117, 119, 120, 120 SI, 120 SUPER	3/8"	7	SD 7	68210	27189*	38075*	16204	.5512
115 iH	3/8"	7	SM 7	18720			31153	.4724
122, 123, 133, 143, CA	3/8"	8	SD 7	22273	16372*			.590
152, 153, 166	.404"	7	SD 7	22270	27193*		37431	.590
PS6000i, PS6800i	3/8"	7	SD 7	68210			16204	.5512
PS9000, PS9010	3/8"	7	SD 7	68210			37504	.3937

ECHO

CS-60, CS-60S	3/8"	7	SD 7	68210	16208	32782X*	16204	.5512
CS-280, CS-290, CS-300EVL	3/8" LP (91)	6				27999	22152	.315
	3/8"	7	SM 7	18720	38032		22152	.315
CS-301, CS-302, CS-315, CS-330, CS-351, CS-360, CS-351, CS-360	3/8" LP (91)	6				28000	22152	.315
	3/8"	7	SM 7	18720	38033		22152	.315
CS-400, CS-440, CS-510, CS-3600, CS5100 (after S/N 134504) CS-3900, CS-4400,	.325"	7	SM 7	11892	513442	513444	37509	.3937
	3/8"	7	SM 7	18720	513443		37509	.3937
CS-451, CS-452, CS-500, CS-510EVL, CS-550, CS-610	3/8"	7	SM 7	18720	21358*	32794*		.3937
CS-602, CS-702, CS-750	3/8"	7	SD 7	68210	26098*	32798*		.3937
CS-650, CS-660	3/8"	7	SD 7	68210	29313*			.3937
CS-300, CS-301, CS-305, CS-340, CS-341, CS-345, CS-346, CS-3000, CS-3350, CS-3400, CS-3450	3/8" (91)	6				106906X*	37511	.3937
CS-4000, CS-4500, CS-4600, CS-5000, CS-5500	.325"	7	SM 7	11892	34474*		31153	.4724

FRONTIER

F-35, FB-35	3/8" LP (91)	6				28001	21940	.3937
-------------	-----------------	---	--	--	--	-------	-------	-------

HOMELITE

9-23, 650, 750, 900D, 909D, 990D, 995D, 1050 AUTO, 2000 AUTO, 2000E, 2100 AUTO, BUZ 500, SUPER 1050 AUTO, SUPER 2100 AUTO, XP1020 SUPER, XP2000	.404"	8	SD 7	14031				.6693
---	-------	---	------	-------	--	--	--	-------

*These part numbers do not include bearings - Please purchase bearings separately for these products

SPROCKET APPLICATIONS BY SAW MODEL

CHAIN SAW MAKE & MODEL	PITCH	TEETH	SPLINE	RIMS	SYSTEM	SPUR	BEARINGS	CRANKSHAFT DIAMETER
								

HOMELITE

150 AO, 350, 350HG, 350SL (with 2-5/8" clutch with 5/8"-dia. shaft), EZ, EZ 250 AO, EZ AUTO, SEZ AO, SXL MINI AO, VI 123, XL76 (without brake), XL 101, XL MINI AO	3/8"	7	SD 7	68210	30672*	30432X*	11807	.625
190, SUPER 2, Super 2CC, VI SUPER 2,XEL, XL, XL2, XL MINI, LITTLE RED	3/8" LP (91)	6				27958	28034	.375
240, 245	.325"	7	SM 7	11892	38003		28034	.375
	3/8"	7		18720	38010		28034	.375
35SL, 330, 350, 350HG, 350SL (with 3" clutch), 360, 410, VI 123, VI 125, XL (76-100 series)	3/8"	7	SD 7	68210	30685*	30688*	11807	.625
450, 550, SUPER XL925 (with 6-shoe clutch), Super XL AUTO, VI944, VI955, XL (800- 924 Series), XL-12 (After S/N 1735838), XL AUTO	3/8"	7	SD 7	68210	30666*	30681*	11807	.625
20, 23, 27, 2500, 2700, 3300, 3350, 3800, 3816, 3850, 4550, i3850b, i4150b, i4550b, PS- 33, TIMBERMAN, UT10901, UT10926	3/8" (91)	6				108567	108817	.3125
SUPER XL925 (with 3-shoe clutch)	3/8"	7	SD 7	68210	37458*		11807	.625
XL-12 (before S/N 1735838)	3/8"	7	SD 7	68210	37990		11999	.500

HUSQVARNA

33, 34, 35, 37, 38	3/8" (91)	6				28001	21940	.3937
36, 41, 136, 141	.325"	7	SM 7	11892	41726*	41725X*	37325	.3937
	.325"	7				106656X*	37325	.3937
	3/8" (91)	6				41569*	37325	.3937
40, 45, 49	.325"	7	SM 7	11892	35641*		11893	.500
	.325"	7				106658X*	11893	.500
42, 133, 234, 238, 242 (before S/N 3441001)	.325"	7	SM 7	11892	29105*		105761	.4375
42, 242 (after S/N 3441001), 246	.325"	7	SM 7	11892	40068*		105761	.4375
39, 44, 140, 240, 340, 444	.325"	7	SM 7	11892	19117*		105761	.4375
50, 51, 55, 55 Rancher, 154, 254 (before S/N 345-0001), 262 (before S/N 345-0001)	.325"	7	SM 7	11892	29175*		11893	.500
	.325"	8	SM 7	11891	24139*	38071*	11893	.500
	3/8"	7	SM 7	18720	34425*		11893	.500
	3/8"	7	SD 7	68210	36868*		11893	.500
61 (after S/N 0510572), 266 (after S/N 0510000), 268 (after S/N 0510000), 272 (after S/N 0510000)	3/8"	7	SD 7	68210	26831		11893	.500
	3/8"	8				32071	11893	.500
	3/8"	7				32057	11893	.500
61 (before S/N 0510572), 66, 162, 266 (before S/N 0510000), 268 (before S/N 0510000), 272 (before S/N 0510000)	3/8"	7	SD 7	68210	102469		11999	.501
77, 160, 163, 180, 260, 263, 280, 380, 480, L-65	3/8"	7	SD 7	68210	22209	32058	12733	.500
	3/8"	8				32125	12733	.500
	.404"	7	SD 7	22270	24256		12733	.500

*These part numbers do not include bearings - Please purchase bearings separately for these products

SPROCKET APPLICATIONS BY SAW MODEL

CHAIN SAW MAKE & MODEL	PITCH	TEETH	SPLINE	RIMS	SYSTEM	SPUR	BEARINGS	CRANKSHAFT DIAMETER
								

HUSQVARNA

455	.325"	7	SM 7	11892	513472	513471	11893	.500
	3/8"	7	SM 7	18720	513470		11893	.500
254 (after S/N 345-0001), 257 (after S/N 314-0001), 262XP (after S/N 345-0001)	.325"	7	SM 7	11892	100758X*		11893	.500
	.325"	8	SM 7	11891	40071X*		11893	.500
	3/8"	7	SM 7	18720	40070X*		11893	.500
	3/8"	7	SD 7	68210	100757		11893	.500
181, 185, 281, 285, 288, 298, 394, 394XP, 395, 395XP, 1100, 2100, 2101	3/8"	7	SD 7	68210	28094*		21276	.5625
	3/8"	7				32059*	21276	.5625
	.404"	7	SD 7	22270	22132*	39245	21276	.5625
340, 345, 350	.325"	7			(has oil pump drive) 108308X*		11893	.500
340, 345, 346, 346XP, 350, 351, 353, 357	.325"	7	SM 7	11892	108215X* (no oil pump drive)		11893	.500
355, 357, 357XP, 359	3/8"	7	SD 7	68210	108565X*		11893	.500
362, 365, 371, 372, 372XP, 570, 575XP	3/8"	7	SD 7	68210	106593X*		37501	.4724
385XP, 385XPG	3/8"	7	SD 7	68210	111590X*		37501	.4724
141	.325"	7	SM 7	11892			37325	.3937
	3/8"	6					37325	.3937
JUNGLE 394, JUNGLE 2101	.404	7		22270	35177			
3120XP, JUNGLE 3120	3/8"	7	SD 7	68210			21276	.5625
	.404"	7	SD 7	22270	37969*		21276	.5625
335, 338	3/8"	6				522963X		

JOHN DEERE

25EV	3/8" LP (91)	6				27999	22152	.315
28, 30, 35, 35EV, 40V	3/8" LP (91)	6				28000	22152	.315
	3/8"	7	SM 7	18720	38033		22152	.315
45	.325"	7	SM 7	11892	29243		37509	.3937
	3/8"	7	SM 7	18720	30869		37509	.3937
50V, 55EV, 55V, 7600, Green Machine	3/8"	7	SM 7	18720	21358*	32794*		.3937
60V, 70V, 80EV	3/8"	7	SD 7	68210	26098X*	32798*		.3937
65EV	3/8"	7	SD 7	68210	29313*			.3937
CS46, CS52	.325"	7	SM 7	11892			31153	.4724
CS56, CS62	.325"	7	SM 7	11892	100758X*		11893	.500
	3/8"	7	SD 7		100757		11893	.500
CS71, CS81	3/8"	7	SD 7	68210			20876	.5512
	.404"	7	SD 7	22270			20876	.5512

JONSERED

36, 361, 365, 370	3/8" LP (91)	6				28001	21940	.3937
45, 49, 50, 51, 52, 451, 521	.325"	8	SM 7	11891	21238*		11893	.500
	3/8"	7	SM 7	18720	18242X		11893	.500
450, 455, 510, 520, 525, 535; 2051, 2054, 2055, (2051, 2054, and 2055 all use bearing #37504)	.325"	7	SM 7	11892	33807*		37501	.4724
	.325"	7					11893	.4724
	.325"	8	SM 7	11891	26950*		37501	.4724
	3/8"	7	SM 7	18720	29496*		37501	.4724

*These part numbers do not include bearings - Please purchase bearings separately for these products

SPROCKET APPLICATIONS BY SAW MODEL

CHAIN SAW MAKE & MODEL	PITCH	TEETH	SPLINE	RIMS	SYSTEM	SPUR	BEARINGS	CRANKSHAFT DIAMETER
								

JONSERED

490, 590	.325"	7	SM 7	11892	29175*		11893	.500
	.325"	8	SM 7	11891	24139*	38071*	11893	.500
	3/8"	7	SD 7	68210	36868*		11893	.500
625 (after S/N 0510123), 630 (after S/N 0510000), 630 SUPER (after S/N 0510000), 630 West Coast (after S/N 0510000), 670 (after S/N 0510153)	3/8"	7	SD 7	68210	26831		11893	.500
	3/8"	7				32057	11893	.500
	3/8"	8				32071	11893	.500
625 (before S/N 0510123), 630 (before S/N 0510000), 630 Super (before S/N 0510000), 630 West Coast (before S/N 0510000), 670 (before S/N 0510153)	3/8"	7	SD 7	68210	102469		11999	.501
820, 830, 910, 920, 930	3/8"	8	SD 7	22273	28563*			.5512
1020	3/8"	7	SD 7	68210	12667*	32778*		.5512
2035, 2036, 2040	.325"	7	SM 7	11892	41726*	41725X*	37325	.3937
	.325"	7				106656X*	37325	.3937
	3/8" (91)	6				41569*	37325	.3937
410, 420, 425, 435, 2041, 2045, 2050	.325"	7	SM 7	11892	35641*	106658X*	11893	.500
2065, 2071, 2165	3/8"	7	SD 7	68210	106593X*		37501	.4724
2077, 2083	3/8"	7	SD 7	68210	102383X*		37501	.4724
2094	3/8"	7	SD 7	68210	39668*		21276	.5625
SAWMILL	.325"	8				105232X*	21276	.5625
2095	3/8"	7	SD 7	68210	108564*		21276	.5625
CS2141, CS2145, CS2149, CS2150, CS2152, CS2159	3/8"	7	SD 7	68210	108565X*		11893	.500
	.325"	7	SM 7	11892	108215X	108308X	11893	.500

MAKITA

DCS 34	3/8" LP (91)	6				112130	22152	
DCS 340, DCS 341	3/8" LP (91)	6				112135	21940	
DCS 430, DCS 520i, DCS 4300,	.325"	87	SM 7	11891	32162*		31153	.4724
	3/8"	7	SM 7	18720	38824X*		31153	.4724
DCS 5200i	.325"	7	SM 7	11892	111451X*		31153	.4724
DCS 6000i, DCS 6800i	3/8"	7	SD 7	68210	27189*	38075*	16204	.5512
MARYUYAMA								
MC-PL10, MC-PS10	3/8"	7	SM 7	18720				
MC-PL11, MC-PS11	.325"	8	SM 7	11891				

McCULLOCH

155, 165, 355, 365, 375, 515, 605, 610, 650, 655, 700, 805, 850, 855, MAC 1-10 through 10-10, PRO MAC 55, PRO MAC 60, SP-70,TIMBER BEAR	3/8"	7	SD 7	68210	68209*		11893	.500
	3/8"	7				32786*	11893	.500
	.404"	7	SD 7	22270	21426*		11893	.500
365, 2000, 2010, 2012, 2014, 2016, 2116, 2316, 2318, 3000, 3200, 3210, 3214, 3216, 3505, 3516, 3805, 3818, MAC 110-140, MINI MAC, MS1432, MS1435, MS1838, PM480, POWER MAC 310-340, PRO MAC 3205 AV-14, TITAN 35-40	3/8" LP (91)	6				29888	21940	.3937

*These part numbers do not include bearings - Please purchase bearings separately for these products

SPROCKET APPLICATIONS BY SAW MODEL

CHAIN SAW MAKE & MODEL	PITCH	TEETH	SPLINE	RIMS	SYSTEM	SPUR	BEARINGS	CRANKSHAFT DIAMETER
								

McCULLOCH

DOUBLE EAGLE: 50, 57; TITAN: 50, 57, 70	.325"	8	SM 7	11891	38147*		11893	.500
PRO MAC 54, 61, 71	3/8"	7	SD 7	68210			31153	.4724
PRO MAC 72	3/8"	7	SD 7	68210			31153	.4724

MONTGOMERY WARD

TMY24062, TMY24064, TMY24066, TMY24068	3/8" LP (91)	6				29888	21940	.3937
TMY24084, TMY24086	3/8"	7	SD 7	68210	68209*	32786*	11893	.500

OLEO-MAC

251, 252, 254, 350 (before 1988), 355	3/8" LP	7	SD 7	68210	13916*		31153	.4724
260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 482	3/8"	7	SD 7	68210	31071*			.5906
	3/8"	8	SD 7	22273	26580*			.5906
931	3/8" (91)	6				104440*	37325	.3937
935	3/8" (91)	6				103217X*		.315
938, 941, 942, 945, 946, 951	.325"	7	SM 7	11892		106068*	31153	.4724
947, 952	.325"	7	SM 7	11892	111178X*		31153	.4724
956, 962	.325"	7	SM 7	11892	100758X*		11893	.500
	.325"	8	SM 7	11891	40071X*		11893	.500
	3/8"	7	SD 7	68210	100757		11893	.500
	3/8"	7	SD 7	68210	40070X*		11893	.500
970, 980	3/8"	7	SD 7	68210			20876	.5512
	.404"	7	SD 7	22270			20876	.5512

PARTNER

351	3/8" LP (91)	6				106114	37325	.3937
22, 330, 350, 1612, 1613, 1614, 1616, MINI P3, P, P2, PA	3/8" LP (91)	6				28001	21940	.3937
365, 405	.325"	7	SM 7	11892	41726*	41725X	37325	.3937
	.325"	7				106656X	37325	.3937
	3/8" LP (91)	6				41569*	37325	.3937
421, 7000, F55, F65, P70, R16 through R22, R-420, S50, S55, S65	3/8"	7	SD 7	68210	12667*	32778*		.5512
P85, P100 (after March 1977)	3/8"	7	SD 7	68210	25842*			.5512
P400, P500, P545, P5000, P5100	.325"	7	SM 7	11892	29175*	38071*	11893	.500
	.325"	8	SM 7	11891	24139*		11893	.500
	3/8"	7	SD 7	68210	36868*		11893	.500
	3/8"	7	SD 7	18720	34425*		11893	.500
7700, W416, W485	3/8"	7	SD 7	68210	40371X*		37501	.4724
P660, P710, P7700, W425, W445, W505	3/8"	7	SD 7	68210	102383X*		37501	.4724
400, 410, 450, 460, 490, 510	.325"	7	SM 7	11892	35641*		11893	.500

PIONEER

970, 1072, 1073, 1074, 2071, 2073, HOLIDAY II, P-20, P-21, P-25, P-26, P-28	.325"	8	SM 7	11891	28611*		11893	.500
---	-------	---	------	-------	--------	--	-------	------

*These part numbers do not include bearings - Please purchase bearings separately for these products

SPROCKET APPLICATIONS BY SAW MODEL

CHAIN SAW MAKE & MODEL	PITCH	TEETH	SPLINE	RIMS	SYSTEM	SPUR	BEARINGS	CRANKSHAFT DIAMETER
------------------------	-------	-------	--------	------	--------	------	----------	---------------------

PIONEER

1160, 1200, 1420, 2270, 2400, 3071, 3200, P-38, P-41, P-42, P-51, P-52, P-60, P-61, P-62, FARMSAW	3/8"	7	SD 7	68210	27440*			.500
P-12	3/8" LP (91)	6				28001	21940	.3937

POULAN/POULAN PRO

25 Series (except Micro 25), S25	3/8" LP (91)	6				28006		.4375
180, 205, 225, 235, 1800, 2000, 2100, 2300, 2400, Micro 25	3/8" LP (91)	6				28004	35184	.407
210, 221, 230, 260, 1950, 2050, 2055, 2075, 2150, 2155, 2175, 2250, 2375, 2450, 2550, Patriot 1900, Wild Thing, Woodshark	3/8" LP (91)	6				106114	37325	.3937
245, 306, 4200, 4400, 4900 5200, 5400	3/8"	7	SD 7	68210	23706*	32062*	12069	.5625
255, 295, 2500, 2600, 2750, 2775, 2900, 3050, P600, Woodshark	.325"	7	SM 7	11892	41726*	41725X*	37325	.3937
	.325"	7				106656X*	37325	.3937
	3/8" (91)	6				41569*	37325	.3937
285, 305, 330, 335, 336, 2700, 2800, 3000, 3300, 3350, 3450, 3500, 3700	.325"	7	SM 7	11892	34254*	107504X*	11893	.500
325	.325"	7	SM 7	11892	29175*	38071*	11893	.500
	.325"	8	SM 7	11891	24139*		11893	.500
360, 361, 400, 401, 450, 451	3/8"	7	SD 7	68210	10617		11999	.500
375, 395, 3400, 3700, 3800, 4000	3/8"	7	SD 7	68210	28187*	32790*	11893	.500
405, 455, 525, 655	3/8"	7	SD 7	68210	27440*		11893	.500
415, 475	3/8"	7	SD 7	68210	40371*		37501	.4724
5500, 6000	.404"	7	SD 7	22270	27193*		37495	.5512

SEARS

351200	.325"	7				107504X*	11893	.500
35093, 35094, 35202, 35203, 35205	3/8" LP (91)	6				28004	35184	.407
35235, 35238, 35255, 35256	3/8" LP (91)	6				28006		.4375
35826, 35829	3/8"	7	SM 7	18720	21358*	32794*		.3937
35881, 35884	3/8"	7	SD 7	68210	23706*	32062*		.5625
35885	3/8"	7	SD 7	68210	28187*	32790*	11893	.500
351062, 351142, 351161, 351181, 352161, 352180	3/8"LP (91)	6				106114	37325	.3937

SKIL

310, 944, 1600, 1601, 1602, 1610, 1611, 1612, 1613, 1614, 1616, 1700, 1705, 1712	3/8" (91)	6				28001	21940	.3937
1620, 1622, 1624, 1634	3/8" (91)	6				28004	35184	.407
1632, 1646	3/8"	7	SD 7	68210	12667*			.5512
1635, 1636	3/8" (91)	6				28006		.4375
1641	3/8"	7	SD 7	68210	28187*	32790*	11893	.500

*These part numbers do not include bearings - Please purchase bearings separately for these products

SPROCKET APPLICATIONS BY SAW MODEL

CHAIN SAW MAKE & MODEL	PITCH	TEETH	SPLINE	RIMS	SYSTEM	SPUR	BEARINGS	CRANKSHAFT DIAMETER
								

SNAPPER

S1634, S1838	3/8" (91)	6				106114	37325	.3937
--------------	-----------	---	--	--	--	--------	-------	-------

SOLO

639, 644, 651, 651SP	.325"	7				111435X*	37511	.3937
----------------------	-------	---	--	--	--	----------	-------	-------

STIHL

009, 010, 011, 020T, MS 200 T	3/8" (91)	6				28016*	37511	.3937
017, 018, 019, 021, 023, 025, MS 210, MS 250, MS 250C	.325"	7	SM 7	11892	100961*	106657X*	37325	.3937
	3/8" (91)	6				100962*	37325	.3937
024, 026 (before S/N X25809074)	.325"	7	SM 7	11892	32457*	38076*	37325	.3937
024, 026 (after S/N X25809074), MS 260, MS 260 Pro, MS 270, MS 270C	.325"	7	SM 7	11892	100791X*	100876X*	37325	.3937
028, 028 SUPER	.325"	7	SM 7	11892	30384*		37517	.3937
	3/8"	7	SM 7	18720	29917*		37517	.3937
029, 034, 034 SUPER, 036, 039, MS 290, MS 310, MS 360, MS 390	3/8"	7	SM 7	18720	34162*	38145*	37325	.3937
029, MS290	.325"	7				111188X*	37325	.3937
030, 031, 032,	3/8"	7	SD 7	68210	18200*		31153	.4724
041 (after S/N 5664891)	3/8"	7				32060*	31153	.4724
038, 038 Super Magnum	3/8"	7			509604X*	32061*	37514	.4724
041 (before S/N 5664891)	3/8"	7	SD 7	68210	13916*		31153	.4724
044, 046, MS 440, MS 460	3/8"	7	SD 7	68210	38470*	38471*	37504	.3937
045, 056s (before S/N 10963560)	3/8"	7				32063*		.5512
048	3/8"	7				32064*	37514	.4724
050, 051, 075, 076	3/8"	8	SD 7	22273	22271*			.5512
	.404"	7	SD 7	22270	22262*	32072*		.5512
056S (after S/N 10963560)	3/8"	7	SD 7	68210				.5512
064, 066, 066 Magnum, MS 660	3/8"	7	SD 7	68210	35464*		37504	.3937
	.404"	7	SD 7	22270	35460*		37504	.3937
070	.404"	7	SD 7	22270	108818X*	107794*	37825	.5906
07S, 08, S-10	.404"	7	SD 7	22270	10625*	35992*		.5906

TANAKA

ECS-4000, ECS-415	.325"	7				111434X*	37325	.3937
-------------------	-------	---	--	--	--	----------	-------	-------

ZENOAH

G561AVS, G621AVS	3/8"	7	SM 7	18720	21358*	32794*		.3937
G300T, G300TS, G310TS, G300AV/AVS	3/8" (91)	6				104440*	37325	.3937

*These part numbers do not include bearings - Please purchase bearings separately for these products

SPROCKET DRIVE SYSTEM CROSS REFERENCE

CHAINSAW MAKE & MODEL	OEM	OREGON SYSTEM PART NO.	OREGON RIM PART NO	OREGON SPUR NO.	PITCH & TEETH
DOLMAR					
109, 110, 111, 115	020-223-100	32162*			.325"-8
109, 110, 111, 115i	027-223-101	111451X*	11892		.325"-7
112, 113, 114, 116, 116Si, 117, 119, 120, 120si, 120 SUPER	119-223-100	27189*	68210	38075*	3/8"-7
115ih	027-223-101		68210		3/8"-7
122, 123, 133, 143, CA	123-223-000	16372*	22273		3/8"-8
152, 153, 166	152-223-100	27193*	22270		.404"-7
PS6000i, PS6800i	030-223-100		68210		3/8"-7
PS9000, PS9010	024-223-041		68210		3/8"-7
ECHO					
CS-60, CS-60S	175005-00230	16208	68210	32782*	3/8"-7
CS-280, CS-290, CS-300	175005-13931			27999	3/8"-6 (91)
CS-301, CS-302, CS-315, CS-330, CS-351, CS-360	175005-11530			28000	3/8"-6 (91)
CS-400, CS-440, CS-3900	175105-14630	29243B*	11892	513444	.325"-7
CS-451, CS-452, CS-500, CS-510, CS-550, CS-610	175005-14330	21358*	18720	32794*	3/8"-7
CS-602, CS-702, CS-750	175005-12130	26098*	68210	32798*	3/8"-7
CS-650, CS-660	175005-14330	29313*	68210		3/8"-7
HOMELITE					
7-19, 600D, 700D, 707D, 770D, 775D, 3816, C5, C7, C9, C51, C71, C72, C91, EZ, EZ6, SUPER ZIP, SXP1020, XP1000, XP1020, XP1100, ZIP	A57344		22270	108567	.404"-7
190, SUPER 2, SUPER 2CC, VI SUPER 2, XEL, XL, XL2, XL MINI	A95653B			27958	3/8"-6 (91)
150 AO, 350, 350HG, 350SL (with 2-5/8" clutch with 5/8"-dia. shaft), EZ, EZ 250 AO, EZ Auto, SEZ AO, SXL Mini AO, VI 123, XL 76 (without brake), XL 101, XL Mini AO	A65987A	30672*	68210		3/8"-7
	A12294			30432X*	3/8"-7
330, 350, 350HG, 350SL (3" clutch), 360, 410, VI 123, VI 125, XL (76-100 Series)	A94302	30685*	68210	30688*	3/8"-7
450, 550, SUPER XL Auto, SUPER XL 925 (with 6-shoe clutch), VI 944, VI 955, XL (800-924 Series), XL-12 (after S/N 1735838)	A65990	30666*	68210		3/8"-7
	A95620			30681*	3/8"-7
HUSQVARNA					
33, 34, 35, 37, 38	507-1005-51			28001	3/8"-6 (91)
39, 44, 140, 240, 340, 444	501-4573-01	19117	11892		.325"-7
50, 51, 55, 154, 254 (before S/N 345-0001), 262	505-3036-52	29175*	11892		.325"-7
61 (before S/N 0510572), 66, 162, 266 (before S/N 0510000), 268 (before S/N 0510000), 272 (before S/N 0510000)	501-8316-01	102469	68210		3/8"-7
	501-6741-01			32071	3/8"-8
	501-5140-01			32057	3/8"-7
77, 160, 163, 180, 260, 263, 280, 380, 480, L-65	501-2559-01	22209	68210	32058	3/8" -7
	501-2037-01	24256	22270		.404"-7
	501-6747-01			32125	3/8"-8
42, 133, 234, 238, 242 (before S/N 3441001)	501-6366-02	29105	11892		.325"-7
40, 45, 49	504-5230-04	35641*	11892		.325"-7
254 (after S/N 345-00001), 257, 262	503-7009-01	100757	68210		3/8"-7
	503-7261-01	100758X*	11892		.325"-7
181, 185, 281, 285, 288, 298, 394, 394XP, 395, 395XP, 1100, 2100, 2101	503-6259-03	28094X*	68210	32059*	3/8"-7
	501-5977-02	28094X*	68210	32059*	3/8"-7
	501-2930-01			39245	.404"-7
	501-5978-01	22132*	22270		.404"-7
61 (after S/N 0510572), 266 (after S/N 051000), 268 (after S/N 051000), 272 (after S/N 051000)	503-7014-01	26831	68210		3/8"-7
340, 345, 346, 346XP, 350, 351, 353, 357	503-9800-01	108215X* (no oil pump drive)	11892		.325"-7

SPROCKET DRIVE SYSTEM CROSS REFERENCE					
CHAINSAW MAKE & MODEL	OEM	OREGON SYSTEM PART NO.	OREGON RIM PART NO	OREGON SPUR NO.	PITCH & TEETH
HUSQVARNA					
340, 345, 350	503-8730-72			108308X* (has oil pump drive)	.325"-7
355, 357, 357XP, 359	503-9348-71	108565X*	68210		3/8"-7
362, 365, 371, 372, 372XP	503-9326-01	106593X*	68210		3/8"-7
	503-9324-71	106593X*	68210		3/8"-7
385XP, 385XPG	537-1379-71	111590X*	68210		3/8"-7
3120 JUNGLE, 3120 XP	503-1433-01		68210		3/8"-7
JONSERED					
36, 361, 365, 370	100551			28001	3/8"-6 (91)
45, 49, 50, 51, 52, 451, 521	50452-3000	21238*	11891		.325"-8
450, 455, 510, 520, 525, 535, 2051, 2054, 2055	50452-3007	26950*	11891		.325"-8
	50317-4001	29496*	18720		3/8"-7
490, 590	50530-3652	29175*	11892		.325"-7
625, 630, 630 SUPER, 630 WEST COAST, 670	50183-1601	102469	68210	32057	3/8"-7
	50183-1501			32071	3/8"-8
	503-7009-01	26831	68210		3/8"-7
820, 830, 910, 920, 930	50452-3008	28563*	22273		3/8"-8
410, 420, 425, 435, 2041, 2045, 2050	50452-3004	35641*	11892		.325"-7
2077, 2083	503-4310-01	102383X*	68210		3/8"-7
2094	506-1530-02	39668*	68210		3/8"-7
2145, 2149, 2150, 2151, 2159	503-8801-71	108215X*	11892		.325"-7
MAKITA					
DCS6000I, DCS6800I		27189*	68210		3/8"-7
McCULLOCH					
1-70 SERIES, 105, 125, 200, 250, 300, 380, 440, 450, 550, 740, 790, 795, 797 (1/2" BEARING), CP-125, SP-125	51774-B		22270		.404"-7
155, 165, 355, 365, 375, 515, 605, 610, 650, 655, 700, 805, 850, 855, MAC 1-10 through 10-10 , PRO MAC 55, SP 70	65370	68209*	68210	32786*	3/8"-7
MAC 110 through 140, MINI MAC, PM 480, POWER MAC 310 through 340, TITAN 35-40	215252			29888	3/8"-6 (91)
805, 850, SP-70	95166	21426*	22270		.404"-7
POULAN/POULAN PRO					
25 SERIES (except Micro 25), S25	952-048102			28006	3/8"-6 (91)
180, 205, 225, 235, 1800, 2000, 2100, 2300, 2400, MICRO 25	952-048078			28004	3/8"-6 (91)
210, 230, 260, 2050, 2075, 2150, 2175, 2250, 2450, 2550, WOOD SHARK	952-048124			106114	3/8"-6 (91)
245, 306, 4200, 4400, 4900, 5200, 5400	48001	23706*	68210		3/8"-7
	48023			32062*	3/8"-7
255, 295, 2500, 2600, 2750, 2900, 3050, P600	952-048115			41569*	3/8"-6 (91)
285, 305, 335, 336, 2700, 2800, 3000, 3300, 3350, 3500, 3700	48083	34254*	11892	107504X*	.325"-7
360, 361, 400, 401, 450, 451	10007	10617	68210		3/8"-7
375, 395, 3400, 3700, 3800, 4000	48063	28187X*	68210		3/8"-7
	48062			32790*	3/8"-7
415, 475	5034310-01		68210		3/8"-7
5500, 6000	90005	27193*	22270		.404"-7
SOLO					
639, 644, 651, 651SP				111435X*	.325"-7

*These part numbers do not include bearings - Please purchase bearings separately for these products

SPROCKET DRIVE SYSTEM CROSS REFERENCE

CHAINSAW MAKE & MODEL	OEM	OREGON SYSTEM PART NO.	OREGON RIM PART NO	OREGON SPUR NO.	PITCH & TEETH
STIHL					
020T, MS 200T	1129-640-2000			28016*	3/8"-6 (91)
009, 010, 011	1120-640-2000			28016*	3/8"-6 (91)
017, 019, 021, 023, 025	1123-640-2000			100962*	3/8"-6 (91)
	1123-007-1003	100961*	11892		.325"-7
024, 026 (before S/N X25809074)	1121-007-1001	32457*	11892		.325"-7
	1121-640-2003			38076*	.325"-7
024, 026 (after S/N X25809074)	1121-007-1001	100791X*	11892		.325"-7
028, 028 SUPER	1118-007-1004	30384*	11892		.325"-7
	1118-007-1007	29917*	18720		3/8"-7
029, 034, 034 SUPER, 036, 039	1125-640-2000			38145*	3/8"-7
	1125-007-1002	34162*	18720		3/8"-7
030, 031, 032, 041 (after S/N 5664891)	1113-640-2000			32060*	3/8"-7
	1110-007-1040	18200*	68210		3/8"-7
038, 038 Super Magnum	1119-642-2000	509604X*		32061*	3/8"-7
041 (before S/N 5664891)	1110-007-1017	13916*	68210		3/8"-7
044, 046, MS440, MS460	1128-007-1000	38470*	68210		3/8"-7
	1128-640-2000			38471*	3/8"-7
045, 056S (before S/N 10963560)	1115-640-2001			32063*	3/8"-7
048	1117-640-2000			32064*	3/8"-7
050, 051, 075, 076	1111-640-2026	22271*	22273		3/8"-8
	1116-640-2002			32072*	.404"-7
	1111-640-2025	22262*	22270		.404"-7
064, 066	1122-007-1001	35464*	68210		3/8"-7
	1122-007-1002	35460*	22270		.404"-7
070	1106-640-2011	108818X	22270	107794*	.404"-7
07S, 08, S-10	1106-640-2025	10625*	22270	35992*	.404"-7
ZENOAH					
G561AVS, G621AVS		21358	18720		3/8"-7

*These part numbers do not include bearings - Please purchase bearings separately for these products

SPROCKET APPLICATIONS BY OREGON PART NUMBER					
Oregon® Part Number*	Oregon® Bearing Number*	System Description	Pitch/Teeth	Application	
10617	11999	POWER MATE®	3/8"-7	Allis Chalmers 195, 295 Dayton 2Z462, 2Z463, 2Z971 Poulan/Poulan Pro 360, 361, 400, 401, 450, 451 Western Auto 430	
10625*		POWER MATE®	.404"-7	Stihl 07S, 08, S-10	
12667*		POWER MATE®	3/8"-7	Jonsered 1020 Partner 421, 7000, F55, F65, P70, R16 through R22, R420, S50, S55, S65 Skil 1632, 1646	
13916*	31153	POWER MATE®	3/8"-7	Oleo-Mac 251, 252, 254, 350 (before 1988), 355 Stihl 041 (before S/N 5664891)	
16208	16204	POWER MATE®	3/8"-7	Echo CS-60, CS-60S	
16372*		POWER MATE®	3/8"-8	Dolmar 122, 123, 133, 143, CA	
18200*	31153	POWER MATE®	3/8"-7	Stihl 030, 031, 032, 041 (after S/N 5664891)	
18242*	11893	POWER MATE®	3/8"-7	Jonsered 45, 49, 50, 51, 52, 451, 521	
19117*	105761	POWER MATE®	.325"-7	Husqvarna 39, 44, 140, 240, 444	
21238*	11893	POWER MATE®	.325"-8	Jonsered 45, 49, 50, 51, 52, 451, 521	
21358*		POWER MATE®	3/8"-7	Echo Cs-451, CS-452, CS-500, CS-510, CS-550, CS-610 John Deere 50V, 55EV, 55V Redmax G-561, G-621 Sears 35826, 35829	
21426*	11893	POWER MATE®	.404"-7	McCulloch 60, 155, 165, 355, 365, 375, 515, 605, 610, 650, 655, 700, 805, 850, 855, Mac 1-10 through 10-10, Pro Mac 55, SP-70, Timber Bear Montgomery Ward TMY24084, TMY24086	
22132*	21276	POWER MATE®	.404"-7	Husqvarna 181, 185, 281, 285, 288, 298, 394, 394XP, 395, 395XP, 1100, 2100, 2101	
22209	12733	POWER MATE®	3/8"-7	Husqvarna 77, 160, 163, 180, 260, 263, 280, 380, 480, L-65	
22262*		POWER MATE®	.404"-7	Stihl 050, 051, 075, 076	
22271*		POWER MATE®	3/8"-8	Stihl 050, 051, 075, 076	
23706*		POWER MATE®	3/8"-7	Dayton 4Z252, 7Z627 Poulan/Poulan Pro 245, 306, 4200, 4400, 4900, 5200, 5400 Sears 35881, 35884	
24139*	11893	POWER MATE®	.325"-8	Husqvarna 50, 51, 55, 55 Rancher , 154, 254 (before S/N 345-0001), 262 (before S/N 345-0001) Jonsered 490, 590 Partner P400, P500, P5000, P5100 Poulan/Poulan Pro 325	
24256	12733	POWER MATE®	.404"-7	Husqvarna 77, 160, 163, 180, 260, 263, 280, 380, 480, L-65	
25842*		POWER MATE®	3/8"-7	Partner P-85, P-100 (after March 1977)	
26098*		POWER MATE®	3/8"-7	Echo CS-602, CS-702, CS-750 John Deere 60V, 70V, 80EV	
26580*		POWER MATE®	3/8"-8	Oleo-Mac 260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 482	
26831	11893	POWER MATE®	3/8"-7	Husqvarna 61 (after S/N 0510572), 266 (after S/N 0510000), 268 (after S/N 0510000), 272 (after S/N 0510000) Jonsered 625 (after S/N 0510123), 630 (after S/N 0510000), 630 Super (after S/N 0510000), 630 West Coast (after S/N 0510000), 670 (after S/N 0510153)	
26950*	37501	POWER MATE®	.325"-8	Jonsered 450, 455, 510, 520, 525, 535; 2051, 2054, 2055 (2051, 2054, and 2055 all use bearing # 37504)	
27189*	16204	POWER MATE®	3/8"-7	Dolmar 112, 113, 114, 116, 116SI, 117, 119, 120, 120SI, 120 Super Makita DCS 6000i, Dcs 6800i	
27193*	37431	POWER MATE®	.404"-7	Dolmar 152, 153, 166	
	37495	POWER MATE®	.404"-7	Poulan/Poulan Pro 5500, 6000	
27440X	11893	POWER MATE®	3/8"-7	Pioneer 1160, 1200, 1420, 2270, 2400, 3071, 3200, P-38, P-41, P-42, P-51, P-52, P-60, P-61, P-62, Farmsaw, Poulan/Poulan Pro 405, 455, 525, 655	
27958	28034	CONSUMER SPUR	3/8" LP-6(91)	Homelite 190, LITTLE RED, Super 2, Super 2cc, VI Super 2, XEL, XL, XL2, XL Mini	
27999	22152	CONSUMER SPUR	3/8" LP-6(91)	Echo CS-280, CS-290, CS-300 John Deere 25EV	
28000	22152	CONSUMER SPUR	3/8" LP-6(91)	Echo CS-302, CS-315, CS-330, CS-351, CS-360 John Deere 28, 30, 35, 35EV, 40V	
28001	21940	CONSUMER SPUR	3/8" LP-6(91)	Frontier F-35, FB-35 Husqvarna 33, 34, 35, 37, 38 Jonsered 36, 361, 365, 370 Partner 22, 330, 350, 1612, 1613, 1614, 1616, Mini P, P2, P3, PA Pioneer P-12 Skil 310, 944, 1600, 1601, 1602, 1610, 1611, 1612, 1613, 1614, 1616, 1700, 1705, 1712	
28004	35184	CONSUMER SPUR	3/8"-6(91)	Dayton 4Z022, 4Z023, 4Z109 Poulan/Poulan Pro 180, 205, 225, 235, 1800, 2000, 2100, 2300, 2400, Micro 25 Sears 35093, 35094, 35202, 35203, 35205 Skil 1620, 1622, 1624, 1634 Western Auto 012, 014, 110, 112, 214, 1800, 2000, 4010, S25DA	
28006		CONSUMER SPUR	3/8" LP-6(91)	Allis Chalmers 75 Dayton 2Z970, 4Z573 Poulan/Poulan Pro 25 Series (except Micro 25), S25 Sears 35235, 35238, 35255, 35256 Skil 1635, 1636 Western Auto Wizard Models: 316, AV16	
*These part numbers do not include bearings - Please purchase bearings separately for these products					

SPROCKET APPLICATIONS BY OREGON PART NUMBER				
Oregon® Part Number*	Oregon® Bearing Number*	System Description	Pitch/Teeth	Application
28016*	37511	CONSUMER SPUR	3/8" LP -6(91)	Stihl 009, 010, 011, 020T, MS 200 T
28094X*	21276	POWER MATE®	3/8"-7	Husqvarna 181, 185, 281, 285, 288, 298, 394, 394XP, 395, 395XP, 1100, 2100, 2101
28187*	11893	POWER MATE®	3/8"-7	Dayton 4Z251, 4Z397 Poulan/Poulan Pro 375, 395, 3400, 3700, 3800, 4000 Sears 35885 Skil 1641 Western Auto 3400, A-18
28563*		POWER MATE®	3/8"-8	Jonsered 820, 830, 910, 920, 930
28611*	11893	POWER MATE®	.325"-8	Pioneer 970, 1072, 1073, 1074, 2071, 2073, Holiday II, P-20, P-21, P-25, P-26, P-28
29105*	105761	POWER MATE®	.325"-7	Husqvarna 42, 133, 234, 238, 242 (before S/N 3441001)
29175*	11893	POWER MATE®	.325"-7	Husqvarna 50, 51, 55, 55 Rancher , 154, 254 (before S/N 345-0001), 262 (before S/N 345-0001) Jonsered 490, 590 Partner P400, P500, P5000, P5100 Poulan/Poulan Pro 325
29313*		POWER MATE®	3/8"-7	Echo CS-650, CS-660, CS-670 John Deere 65EV
29496*	37501	POWER MATE®	3/8"-7	Jonsered 450, 455, 510, 520, 525, 535, 2051, 2054, 2055 (2051, 2054, and 2055 all use bearing # 37504)
29888	21940	CONSUMER SPUR	3/8" LP-6(91)	McCulloch 365, 2000, 2010, 2012, 2014, 2016, 2116, 2316, 2318, 3000, 3200, 3210, 3214, 3216, 3505, 3516, 3805, 3818, Mac 110-140, Mini Mac, MS1432, MS1435, MS1838, PM480, Power Mac 310-340, Pro Mac 3205av-14, Titan 35-40, Montgomery Ward TMY24062, tmy24064, TMY24066, TMY24068
29917*	37517	POWER MATE®	3/8"-7	Stihl 028, 028 Super
30384*	37517	POWER MATE®	.325"-7	Stihl 028, 028 Super
30432X*	11807	PROSPUR®	3/8"-7	Homelite 150 AO, 350, 350HG, 350SL (with 2-5/8"clutch with 5/8"-dia. shaft), EZ, EZ 250 AO, EZ Auto, SEZ AO, SXL Mini AO, VI 123, XL76 (without brake), XL 101, XL Mini AO
30666*	11807	POWER MATE®	3/8"-7	Homelite 450, 550, Super XL 925 (with 6-shoe clutch), Super XL Auto, VI 944, VI 955, XL (800-924), XL-12 (after S/N 1735838), XL Auto Remington PL-4, PL-5, PL-55, SL-11, Logger, Woodsman
30672*	11807	POWER MATE®	3/8"-7	Homelite 150 AO, 350, 350HG, 350SL (with 2-5/8"clutch with 5/8"-dia. shaft), EZ, EZ 250 AO, EZ Auto, SEZ AO, SXL Mini AO, VI 123, XL76 (without brake), XL 101, XL Mini AO
30681X*	11807	PROSPUR®	3/8"-7	Homelite 450, 550, Super XL 925 (with 6-shoe clutch), Super XL Auto, VI 944, VI 955, XL (800-924 Series), XL-12 (after S/N 1735838), XL Auto Remington PL-4, PL-5, PL-55, SL-11, Logger, Woodsman
30685*	11807	POWER MATE®	3/8"-7	Homelite 35SL, 330, 350, 350HG, 350SL (with 3"clutch), 360, 410, VI 123, VI 125, XL (76-100 Series)
30688*	11807	PROSPUR®	3/8"-7	Homelite 35SL, 330, 350, 350HG, 350SL (with 3"clutch), 360, 410, VI 123, VI 125, XL (76-100 Series)
31071*		POWER MATE®	3/8"-7	Oleo-Mac 260, 261, 271, 272, 280, 281, 284, 400, 460, 461, 480, 481, 482
32057	11999	PROSPUR®	3/8"-7	Husqvarna 61 (after S/N 0510572), 266 (after S/N 0510000), 268 (after S/N 0510000), 272 (after S/N 0510000) Jonsered 625 (after S/N 0510123), 630 (after S/N 0510000), 630 Super (after S/N 0510000), 630 West Coast (after S/N 0510000), 670 (after S/N 0510153)
32058	12733	PROSPUR®	3/8"-7	Husqvarna 77, 160, 163, 180, 260, 263, 280, 380, 480, L-65
32059*	21276	PROSPUR®	3/8"-7	Husqvarna 181, 185, 281, 285, 288, 298, 394, 394XP, 395, 395XP, 1100, 2100, 2101
32060*	31153	PROSPUR®	3/8"-7	Stihl 030, 031, 032, 041 (after S/N 5664891), MS 310
32061*	37514	PROSPUR®	3/8"-7	Stihl 038, 038 Super Magnum
32062*		PROSPUR®	3/8"-7	Dayton 4Z252, 7Z627 Poulan/Poulan Pro 245, 306, 4200, 4400, 4900, 5200, 5400 Sears 35881, 35884
32063*		PROSPUR®	3/8"-7	Stihl 045, 056S (before S/N 10963560)
32064*	37514	PROSPUR®	3/8"-7	Stihl 048
32071	11999	PROSPUR®	3/8"-8	Husqvarna 61 (after S/N 0510572), 266 (after S/N 0510000), 268 (after S/N 0510000), 272 (after S/N 0510000) Jonsered 625 (after S/N 0510123), 630 (after S/N 0510000),630 Super (after S/N
32072*		PROSPUR®	.404"-7	Stihl 050, 051, 075, 076 0510000), 630 West Coast (after S/N 0510000), 670 (after S/N 0510153)
32125	12733	PROSPUR®	3/8"-8	Husqvarna 77, 160, 163, 180, 260, 263, 280, 380, 480, L-65
32162*	31153	POWER MATE®	.325"-8	Dolmar 109, 110, 111, 115 Makita DCS 430, DCS 520i, DCS 4300, DCS 5200i
32457*	37325	POWER MATE®	.325"-7	Stihl 024, 026 (before S/N X25809074)
32778*		PROSPUR®	3/8"-7	Jonsered 1020 Partner 421, 7000, F55, F65, P70, R16 through R22, R420, S50, S55, S65

SPROCKET APPLICATIONS BY OREGON PART NUMBER				
Oregon® Part Number*	Oregon® Bearing Number*	System Description	Pitch/Teeth	Application
32782*		PROSPUR®	3/8"-7	Echo CS-60, CS-60S
32786*	11893	PROSPUR®	3/8"-7	McCulloch 60, 155, 165, 355, 365, 375, 515, 605, 610, 650, 655, 700, 805, 850, 855, Mac 1-10 through 10-10, Pro Mac 55, Sp-70, TIMBER BEAR Montgomery Ward TMY24084, TMY24086
32790*	11893	PROSPUR®	3/8"-7	Dayton 4Z251, 4Z397 Poulan/Poulan Pro 375, 395, 3400, 3700, 3800, 4000 Sears 35885 Skil 1641 Western Auto 3400, A-18
32794*		PROSPUR®	3/8"-7	Echo CS-451, CS-452, CS-500, CS-510, CS-550, CS-610 John Deere 50V, 55EV, 55V Redmax G-561, G-621 Sears 35826, 35829
32798*		PROSPUR®	3/8"-7	Echo CS-602, CS-702, CS-750 John Deere 60V, 70V, 80EV
33807*	37501 or 37504	POWER MATE®	.325"-7	Jonsered 450, 455, 510, 520, 525, 535 (models 450-535 use bearing #37501); 2051, 2054, 2055 (models 2051-2055 use bearing # 37504)
34162*	37325	POWER MATE®	3/8"-7	Stihl 029, 034, 034 Super, 036, 039, MS 290, MS 360, MS 390
34254*	11893	POWER MATE®	.325"-7	Poulan/Poulan Pro 285, 305, 335, 336, 2700, 2800, 3000, 3300, 3350, 3500, 3700
34425*	11893	POWER MATE®	3/8"-7	Husqvarna 50, 51, 55, 55 Rancher, 154, 254 (before S/N 345-0001), 262 (before S/N 345-0001) Partner P5100
34474*	31153	POWER MATE®	.325"-7	Echo CS-4000, CS-4500, CS-4600, CS-5000, CS-5500
35460*	37504	POWER MATE®	.404"-7	Stihl 064, 066
35464*	37504	POWER MATE®	3/8"-7	Stihl 064, 066, MS 660
35641*	11893	POWER MATE®	.325"-7	Husqvarna 40, 45, 49 Jonsered 410, 420, 425, 435, 2041, 2045, 2050 Partner 400, 410, 450, 460, 490, 510
35992*	37431	PROSPUR®	.404"-7	Stihl 07S, 08, S-10
36868*	11893	POWER MATE®	3/8"-7	Husqvarna 50, 51, 55, 55 Rancher , 154, 254 (before S/N 345-0001), 262 (before S/N 345-0001) Jonsered 490, 590 Partner P400, P500, P5000, P5100
37969*	21276	POWER MATE®	.404"-7	Husqvarna 3120 XP, Jungle 3120
37990	11999	POWER MATE®	3/8"-7	Homelite XL12 (before S/N 1735838)
38003	28034	POWER MATE®	.325"-7	Homelite 240, 245
38010	28034	POWER MATE®	3/8"-7	Homelite 240, 245
38033	22152	POWER MATE®	3/8"-7	Echo CS-302, CS-305, CS-315, CS-330, CS-351, CS-360 John Deere 28, 30, 35, 35eV, 40
38071*	11893	PROSPUR®	.325"-8	Husqvarna 50, 51, 55, 154, 254 (before S/N 345-0001), 262 Jonsered 490, 590 Partner P400, P500, P5000, P5100 Poulan/Poulan Pro 325
41726*	37325	POWER MATE®	.325"-7	Husqvarna 36, 41, 136, 141 Jonsered 2036, 2040 Partner 365, 405 Poulan/Poulan Pro 255, 295, 2500, 2600, 2750, 2775, 2900, 3050, P600
68209*	11893	POWER MATE®	3/8"-7	McCulloch 60, 155, 165, 355, 365, 375, 515, 605, 610, 650, 655, 700, 805, 850, 855, Mac 1-10 thru 10-10, Pro Mac 55, sp-70, timber bear Montgomery Ward TMY24084, TMY24086
100757	11893	POWER MATE®	3/8"-7	Husqvarna 254 (after S/N 345-0001), 257(after S/N 314-0001), 262 (after S/N 345-0001) John Deere CS56, CS62 Oleo Mac 956, 962
100758X*	11893	POWER MATE®	.325"-7	Husqvarna 254 (after S/N 345-0001), 257 (after S/N 314-0001), 262 (after S/N 345-0001) John Deere CS56, CS62 Oleo Mac 956, 962
100791X*	37325	POWER MATE®	.325"-7	Stihl 024, 026 (after S/N X25809074), MS 260, MS 270
100876X*	37325	PROSPUR®	.325"-7	Stihl 024, 026 (after S/N X25809074), MS 260, MS 270
100961*	37325	POWER MATE®	.325"-7	Stihl 017, 018, 019, 021, 023, 025, MS 210, MS 250
100962*	37325	CONSUMER SPUR	3/8"-6(91)	Stihl 017, 018, 019, 021, 023, 025, MS 210, MS 250

SPROCKET APPLICATIONS BY OREGON PART NUMBER				
Oregon® Part Number*	Oregon® Bearing Number*	System Description	Pitch/Teeth	Application
102383X*	37501	POWER MATE®	3/8"-7	Jonsered 2077, 2083 Partner P660, P710, P7700, W425, W445, W505
102469	11999	POWER MATE®	3/8"-7	Husqvarna 61 (before S/N 0510572), 66, 162, 266, (before S/N 0510000), 268 (before S/N 0510000), 272 (before S/N 0510000) Jonsered 625 (before S/N 0510123), 630 (before S/N 0510000), 630 Super (before S/N 0510000), 630 West Coast (before S/N 0510000), 670 (before S/N 0510153)
103217X*		CONSUMER SPUR	3/8"-6(91)	Oleo Mac 935
104440X*	37325	CONSUMER SPUR	3/8"-6(91)	Redmax G300T, G300TS, G310TS, G300AV/AVS Oleo Mac 931
105232X*	21276	PROSPUR®	.325"-8	Jonsered SawMill
106114	37325	CONSUMER SPUR	3/8"-6(91)	Partner 351 Poulan 210, 221, 230, 260, 2050, 2055, 2075, 2150, 2155, 2175, 2250, 2450, 2550, Patriot 1900, Woodshark Sears 351062, 351142, 351161, 351181, 352161, 352180 Snapper 1634, 1838
106068*	31153	CONSUMER SPUR	.325"-7	Oleo Mac 938, 941, 942, 945, 946, 951
106593*	37501	POWER MATE®	3/8"-7	Jonsered 2065, 2071, 2165 Husqvarna 362, 365, 371, 372, 372XP
106656X*	37325	CONSUMER SPUR	.325"-7	Husqvarna 36, 41, 136, 141 Jonsered 2036, 2040 Poulan 255, 295, 2500, 2600, 2750, 2775, 2900, 3050, P600 Partner 365, 405
106657X*	37325	CONSUMER SPUR	.325"-7	Stihl 017, 018, 019, 021, 023, 025, MS 210, MS 250
106658X*	11893	CONSUMER SPUR	.325"-7	Jonsered 410, 420, 425, 435, 2041, 2045, 2050 Husqvarna 40, 45, 49
106906X*	37511	CONSUMER SPUR	3/8"-6(91)	Echo 3000, 3400, 3450
107504X*	11893	CONSUMER SPUR	.325"-7	Poulan 285, 305, 335, 336, 2700, 2800, 3000, 3300, 3350, 3700 Sears 251200
107794*	37825	PROSPUR®	.404"-7	Stihl 070
108215X*	11893	POWER MATE®	.325"-7	Jonsered 2145, 2149, 2150, 2152, 2159 Husqvarna 340, 345, 346, 346XP, 350, 351, 353, 357
108308X*	11893	PROSPUR®	.325"-7	Husqvarna 340, 345, 350 Jonsered 2145, 2149, 2150, 2152, 2159
108564*	21276	POWER MATE®	3/8"-7	Jonsered 2095
108565*	11893	POWER MATE®	3/8"-7	Husqvarna 355, 357, 357XP, 359 Jonsered 2145, 2149, 2150, 2152, 2159
108567	108817	CONSUMER SPUR	3/8"-6(91)	Homelite 20, 23, 27, PS-33, 2500, 2700, 3300, 3350, 3800, 3850, Ranger,
108818X*	37825	POWER MATE®	.404"-7	Stihl 070
111178X*	31153	POWER MATE®	.325"-7	Oleo Mac 947, 952
111188X*	37325	PROSPUR®	.325"-7	Stihl 029, M290
111434X*	37325	PROSPUR®	.325"-7	Tanaka ECS-4000, ECV-4501
111435X*	37511	PROSPUR®	.325"-7	Solo 639, 644, 651, 651sp
111451X*	31153	POWER MATE®	.325"-7	Dolmar 109, 110, 111, 115i Makita DCS-5200i
111590X*	37501	POWER MATE®	3/8"-7	Husqvarna 385XP, 385XPG
112130	22152	CONSUMER SPUR	3/8"-6(91)	Dolmar PS-34 Makita DCS-34
112135		CONSUMER SPUR	3/8"-6(91)	Dolmar PS-340, PS-341 Makita DCS-340, DCS-341
509604X*	37514	POWER MATE®	3/8"-7	Stihl 038, 038 Super Magnum
513442	37509	POWER MATE®	.325"-7	Echo CS-400, CS-440, CS-510, CS-3600, CS-3900, CS-4400, CS-5100 (after S/N 134504) John Deere 45
513443	37509	POWER MATE®	3/8"-7	Echo CS-400, CS-440, CS-510, CS-3600, CS-3900, CS-4400, CS-5100 (after S/N 134504) John Deere 45
513444	37509	PROSPUR®	3/8"-7	Echo CS-400, CS-440, CS-510, CS-3600, CS-3900, CS-4400, CS-5100 (after S/N 134504) John Deere 45
513471		PROSPUR®	.325"-7	Husqvarna 455
513472		POWER MATE®	.325"-7	Husqvarna 455
513473		POWER MATE®	3/8"-7	Husqvarna 455

*These part numbers do not include bearings - Please purchase bearings separately for these products